

FilterSource.com^{Inc.}

A Trumpler-Clancy brand

The #1 source for industrial bag filtration!



- Proven Expertise
- Fast Lead Times
- Custom Solutions
- Industry Leading Since 1962



Bag Filter Housings

As one of the largest online suppliers of filter housings and filter bags, we can provide quick solutions for almost any bag filter application. Whether it is with our standard housings that are typically in stock, or custom applications to meet the most challenging filtration applications, Filtersource is here to help.

Choose *Filtersource.com* for...

- Carbon Steel Vessels
- 304 / 316 Stainless Steel Vessels
- Aluminum Bag Vessels
- Polypropylene, PVC, CPVC Vessels
- All Single Cavity Vessels Available in Sizes 1-9
- Duplex or Module Configurations
- Multi-Round Bag Vessels
- ASME code or Non-Code
- Flanged, NPT, or Sanitary Connections



Contact our sales team today...

☎ 888-968-3458

✉ sales@filtersource.com

Bag filters from a name you can trust...

We take pride in manufacturing our bag filters with industry leading quality standards. Take advantage of our bulk quantity discounts and central warehousing network offering fast shipping within the United States for all of our filter bags. As our 50 year legacy continues to grow, choose Filtersource.com as your leading source of bag replacements.



Filtersource.com
A Trumpler-Clancy brand

- 180,000 Square Foot Production facility
- Proudly Made in the USA
- Central Distribution Hub Network
- Standard 5-Day Lead Time
- Capable to Produce 30,000 Bags Daily



Liquid Filter Bags

Standard Felt Liquid Filter Bags

- Micron ratings from 1 to 200
- All industry standard & custom sizes available
- Broad chemical compatibility
- High flow/low pressure drop
- Sewn or fully-welded construction
- Handles on all bags
- Choice of steel ring or plastic flange
- Temperature ratings to 200oF (PO), 275oF (PE), 425oF (HT) and 500oF (Teflon®)
- Fully welded seams & collars available on (PE) and (PO) felt bags
- Polypropylene & Polyester materials meet FDA regulations for food contact under CFR21, section 177.1520



Standard Mesh Liquid Filter Bags

- Micron ratings from 1 to 1500
- All industry standard and custom sizes available
- High flow/low pressure drop media
- Surface-retention filtration
- Wide chemical compatibility
- Sewn construction
- Handles standard on all bags
- Choice of steel ring or plastic flange
- Economical removal of non-deformable contaminants
- Non-fiber releasing
- Good removal efficiencies
- Temperature ratings to 350oF
- Polyester and nylon materials meet FDA regulations for food contact under CFR21, section 177.1520



Contact our sales team today...  888-968-3458  sales@filtersource.com

Liquid Filter Bags

High Efficiency Liquid Filter Bags (POMF/PEMF)

- Micron ratings from 1.0 to 50.0
- Choice of steel ring or plastic flange
- Wide chemical compatibility
- Excellent oil absorbing capabilities
- Handles on all bags
- Efficiencies to 95.0%
- True graded density materials with high performance levels
- All high efficiency materials meet FDA regulations for food contact under CFR21, section 177.1520



High Performance 500 Series Liquid Filter Bags

- Micron ratings from 1.0 to 32
- Stainless steel ring standard
- Wide chemical compatibility
- Excellent oil absorbing capabilities
- Handles on all bags
- Absolute efficiencies to 99.0%
- True graded density materials with high performance levels
- All high efficiency materials meet FDA regulations for food contact under CFR21, section 177.1520



ESP Extended Surface Pleat Liquid Bag Filter

- Micron ratings from 1 to 100
- Wide chemical compatibility
- Polypropylene and Polyester materials meet FDA regulations for food contact under CFR21, Section 177.1520
- Silicone-free construction
- Choice of steel ring or plastic flange
- Handles on all bags
- ~4x the life of a standard bag.



Nominal Depth Cartridge Pleated Filter

- Available in Polyester or Polypropylene construction
- Micron ratings from 1-200
- Fits most Size #1 or #2 strainer baskets
- Polypropylene and Polyester materials meet FDA regulations for food contact under CFR21, Section 177.1520
- Broad chemical compatibility
- Temperature ratings to 200oF (PO), 275oF (PE)
- Silicone-free construction
- Two layer pleat pack to create prefilter and final filter layer



Polyester Phenolic Treatment (PEPT) Liquid Filter Bag

- Designed for high viscosity applications
- Micron ratings from 1 to 100
- Broad chemical compatibility
- Handles on all bags
- Choice of steel ring or plastic flange
- Excellent removal of gel-like particles
- Disc bottom for ease of installation & fit in basket

Contact our sales team today...



888-968-3458



sales@filtersource.com

Liquid Filter Bags

XOAM, Revolutionary Oil Absorbing Filter Bag

- Micron ratings from 1.0 to 50.0
- 2 industry standard sizes
- Choice of steel ring or plastic flange
- Wide chemical compatibility
- Excellent oil absorbing capabilities
- Handles on all bags
- Optional extended life feature
- Efficiencies to 95.0%
- 30 ft² of total media
- Will hold nearly 11 lbs of oil



600 Series Deep Pleated Liquid Cartridge Filter

- Removal efficiency of 99%
- Filtration ranges from 1 to 40 microns
- 35 ft² of filter surface area ~ 130 ft² of total media
- Fit inside most Size #1 & #2 strainer baskets
- One deep pleat cartridge can replace up to 7 standard 500 series or 20 standard 100 series bags
- Provides an o-ring side seal without any basket modifications



Dust Collector Bags

You can count on Filtersource to supply replacement filter bags necessary to keep your dust collection system operating at maximum efficiency. We guarantee that high quality manufacturing standards and expert workmanship are incorporated into each bag.

Media Coatings & Finishes

- **Plain** - Natural finish. General purpose material.
- **Singed** - Accomplished by exposing media to open flame to melt fibers and prevent fiber migration. Improves dust cake release.
- **Glazed** - Accomplished by running media through hot rollers which melts fibers and results in a smooth "eggshell" finish. Improves dust cake release.
- **Acrylic Coated** - Air permeable acrylic surface coated polyester for moist environments.
- **Teflon Coated** - Provides "high efficiency" within a couple hours of installation without sacrificing reduced airflow using membrane.
- **Teflon Membrane** - Membrane provides an extremely smooth, high efficiency finish.



Dust Collector Cartridges

Filtersource manufactures replacement Dust Collector Cartridges for most OEM collectors used in the industry. Filtersource stocks a wide variety of dust collection medias that can be pleated quickly and assembled into cartridges for shipment in 5-7 days.



Contact our sales team today...



888-968-3458



sales@filtersource.com



New York Sales Offices

Buffalo

75 Elmview Avenue
Hamburg, NY 14075
tel: (716) 649-2326

Syracuse

30 Oswego Street
Baldwinsville, NY 13027
tel: (315) 488-2222

Albany




18 Division Street - Suite 206A
Saratoga Springs, NY 12866
tel: (518) 583-2203

Boston Sales Office

686 South Street - Suite 7B
Wrentham, MA 02093
tel: (888) 968-3458

*INDUSTRY LEADER
SINCE 1962.*

Contact Us

 1-888-968-3458
 sales@filtersource.com
 www.filtersource.com